

IP20 Rec'd PCT/PTO 08 MAY 2006

SPECIFICATION

INHALER AID WITH REED FOR MINUTE POWDERY CURATIVE MEDICINE

5 TECHNICAL FIELD

The present invention relates to an inhaler aid with a reed for a minute powdery curative medicine, which is used as an aid when a patient with bronchial asthma or a chronic obstructive lung disease uses an inhaler to inhale
10 a minute powdery curative medicine, and which makes a sound so that the patient himself can ascertain that an inhalation operation has been achieved without fail.

BACKGROUND ART

15 Heretofore, curative medicines for bronchial asthma or a chronic obstructive lung disease were mainly internal medicines, but later, a type of inhaler for atomization and inhalation of liquid medicines using a small cylinder charged with chlorofluorocarbon has been developed.

20 As is well known, chlorofluorocarbon is a cause of environmental destruction and its effects on the human body are concerned. Therefore, such a type of curative medicines have recently been prevailed that a patient himself inhales the minute powdery medicine with intake
25 force, and hence inhalers for the minute powdery curative medicine with various configurations and shapes are used.

Common points of the inhalers for the minute powdery

curative medicine are that intake air of the patient himself whirls up the minute powdery medicine in a medicine chamber, causes a vortex flow, and lets the medicine through a grating to equally diffuse minute powder so that
5 it is inhaled from a mouthpiece into an oral cavity, and further into a respiratory tract of the patient. They are also common in that an air intake hole is provided for correcting a lung breathing capacity and an air flow volume in a minute powdery medicine inhalation path to prevent
10 breathing difficulty.

However, the conventional type of inhalers for self inhalation of the minute powdery curative medicine have a disadvantage that the patient himself can not ascertain whether or not the inhalation has been achieved without
15 fail because the amount of minute particle curative medicine is significantly small.

Furthermore, patients, especially elderly people and children, are not able to perform an inhalation operation itself, and might blow the mouthpiece, so that the patients
20 can not actually use the curative medicine properly.

Therefore, an object of the present invention is to provide an inhaler aid which maximizes utility of the inhaler for the minute powdery curative medicine, and which is used by being attached to the inhaler so that people
25 including a user can objectively ascertain in each case whether the inhalation operation has been correctly performed.

DISCLOSURE OF THE INVENTION

In order to solve the problems described above, an inhaler aid with a reed for a minute powdery curative
5 medicine of the present invention is characterized in that the reed is fitted into a right side of a main unit made of silicon rubber, and the inhaler aid is attached to a mouthpiece portion of a conventionally used inhaler for the minute powdery curative medicine such that the aid equipped
10 with the reed is placed between the inhaler for the minute powdery curative medicine and a mouth of a patient, and when an intake operation has been performed without fail, a sound is produced.

15 BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a front view of an inhaler aid with a reed for a minute powdery curative medicine of the present invention; FIG. 2 is a right side view of the inhaler aid with the reed for the minute powdery curative medicine of
20 the present invention; FIG. 3 is a left side view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 4 is a plan view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 5 is a
25 bottom plan view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 6 is a sectional view of the inhaler aid with the reed

for the minute powdery curative medicine of the present invention; FIG. 7 is a right side view of the reed used in the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 8 is a sectional view of the reed used in the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 9 is a sectional view showing a mechanism of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 10 is a front view when the inhaler aid with the reed for the minute powdery curative medicine of the present invention is used with a Flutide Discus (registered trademark); FIG. 11 is a partial sectional view when the inhaler aid with the reed for the minute powdery curative medicine of the present invention is used with a Flutide Discus (registered trademark); FIG. 12 is a front view when the inhaler aid with the reed for the minute powdery curative medicine of the present invention is used with a Pulmicort Turbuhaler (registered trademark); FIG. 13 is a partial sectional view when the inhaler aid with the reed for the minute powdery curative medicine of the present invention is used with the Pulmicort Turbuhaler (registered trademark); FIG. 14 is a front view when the inhaler aid with the reed for the minute powdery curative medicine of the present invention is used with a Diskhaler (registered trademark); and FIG. 15 is a partial sectional view when the inhaler aid with the reed for the minute powdery curative medicine of the

present invention is used with the Diskhaler (registered trademark).

BEST MODE FOR CARRYING OUT THE INVENTION

5 An inhaler aid with a reed for a minute powdery curative medicine of the present invention will hereinafter be described in detail in reference to the accompanying drawings. FIG. 1 to FIG. 6 are views showing the inhaler aid with the reed for the minute powdery curative medicine
10 of the present invention, FIG. 7 and FIG. 8 are views showing the reed used in the inhaler aid with the reed for the minute powdery curative medicine of the present invention, FIG. 9 is a view showing a mechanism of the inhaler aid with the reed for the minute powdery curative
15 medicine of the present invention, and FIG. 10 to FIG. 15 are views showing used states of the inhaler aid with the reed for the minute powdery curative medicine of the present invention which is attached to conventional inhalers for the minute powdery curative medicine.

20 FIG. 1 is a front view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention, FIG. 2 is a right side view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 3 is a left side
25 view of the inhaler aid with the reed for the minute powdery curative medicine of the present invention; FIG. 4 is a plan view of the inhaler aid with the reed for the

minute powdery curative medicine of the present invention;
FIG. 5 is a bottom plan view of the inhaler aid with the
reed for the minute powdery curative medicine of the
present invention; FIG. 6 is a sectional view of the
5 inhaler aid for the minute powdery curative medicine of the
present invention.

As shown in FIG. 1 to FIG. 3, an inhaler aid 1 with
the reed for the minute powdery curative medicine of the
present invention is comprised of a main unit 3, an
10 engagement portion 2 provided on the main unit 3, and a
reed 4 attached to a right side portion of the main unit 3.

In the main unit 3, an upper edge 3a is formed at an
upper portion, which extends in both right and left
directions, of a tube 3b, and at a lower portion of the
15 tube 3b, a horn-shaped junction is provided which comprises
a front joint piece 3c, a left end 3d, a right end 3e and a
rear joint piece 3g. Moreover, a hole for inserting the
reed 4 is formed at a right side portion of the tube 3b.

The engagement portion 2 provided on the main unit 3
20 is constituted of a left projection 2a comprising an
elliptical holding member 2b at the end, and a right
projection 2e which is symmetrical to the left projection
2a and comprises an elliptical holding member 2f at the
end.

25 The holding member 2b provided in the left projection
2a of the engagement portion 2 has a large thickness, and
is gently curved from an upper end 2c toward a lower end

2d. Further, similarly to the holding member 2b, the holding member 2f provided in the right projection 2e is also curved gently from an upper end 2g toward a lower end 2h.

5 As shown in FIG. 4 to FIG. 5, an outer peripheral surface 3f of the tube 3b forming the main unit 3 is almost elliptical, and an inner peripheral surface 3h is also almost elliptical. An inhalation hole 3i is formed at an upper portion of the tube 3b.

10 Furthermore, as shown in FIG. 5, a junction inner peripheral portion 3j of the junction, which is provided at the lower portion of the main unit 3 and comprises the front joint piece 3c, the left end 3d, the right end 3e and the rear joint piece 3g, is formed so as to taper from a
15 junction aperture 3k toward the lower portion of the tube 3b.

 As shown in FIG. 6, the inner peripheral surface 3h inside the tube 3b and the junction inner peripheral portion 3j inside the junction form an inhalation path 5,
20 and the reed 4 fitted into the right side portion of the tube 3b is inserted to project through the tube 3b and further slightly into the inhalation path 5.

 FIG. 7 is a right side view of the reed used in the inhaler aid with the reed for the minute powdery curative
25 medicine of the present invention, and FIG. 8 is a sectional view of the reed used in the inhaler aid with the reed for the minute powdery curative medicine of the

present invention.

As shown in FIG. 7 to FIG. 8, the reed 4 is cylindrical, and a semi-circular projecting plate 4b in which a rectangular hole 4c is formed is provided at a right end of a tube 4a, and at a left end, a semi-circular block plate 4e is continuously provided at a left end upper portion of the tube 4a.

A valve 4d having a length up to a position of the projecting plate 4b is continuously provided in the block plate 4e. The valve 4d divides the inside of the tube 4a into a resonance chamber 4f and a flow chamber 4g, and a clearance 4h is formed between the valve 4d and an upper portion of the projecting plate 4b.

When an air 6 is sucked into the reed 4, the valve 4d vibrates when an air 6a passes through the clearance 4h formed between the valve 4d and the projecting plate 4b. The vibration of the valve 4d resonates within the resonance chamber 4f, and produces a beep 7.

The air 6a vibrates the valve 4d when it passes through the clearance 4h to make a sound from the reed 4, and an air 6b passes through the flow chamber 4g to be released to the outside of the reed 4.

FIG. 9 is a sectional view showing a mechanism of the inhaler aid with the reed for the minute powdery curative medicine of the present invention. As shown in FIG. 9, when a patient uses the inhaler aid 1 with the reed for the minute powdery curative medicine, the patient holds the

engagement portion 2 in a mouth 8, and bites and fixes the left and right projections 2a and 2e with teeth. At this moment, the holding members 2b and 2f hold teeth.

5 If the patient breathes in an air 9 while holding and fixing the engagement portion 2 in the mouth 8, an air 9a is sucked in from the junction aperture 3k at a lower portion of the inhaler aid 1 with the reed for the minute powdery curative medicine, and at the same time, the air 6 is sucked in also from the reed 4, so that the reed 4
10 produces the beep 7.

The air 9a sucked in from the junction aperture 3k is inhaled into an oral cavity through the inhalation path 5, and the air 6b sucked in from the reed 4 and released into the inhalation path 5 is combined with the air 9a sucked in
15 from the junction aperture 3k in the inhalation path 5, and is inhaled into the oral cavity. Therefore, if the inhaler aid 1 with the reed for the minute powdery curative medicine is used, the beep 7 is produced when the air is correctly inhaled, thereby making it possible to recognize
20 that an inhalation operation has been correctly performed.

The inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention is made of silicon rubber. Therefore, it excels in flexibility, toughness, safety and the like, and can easily be cleaned.
25 Moreover, as it is made of silicon rubber, when one masters the use of the inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention and can

use it by only holding it in the mouth 8 without biting and fixing the projections 2a and 2e of the engagement portion 2 with teeth, the projections 2a and 2e can easily be cut away.

5 Furthermore, as the inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention is made of silicon rubber, it excels in flexibility, and can be used by being attached to various kinds of inhalers for the minute powdery curative medicine
10 that have conventionally been used.

 FIG. 10 to FIG. 15 show the inhaler aid with the reed for the minute powdery curative medicine of the present invention which is used by being attached to various kinds of inhalers for the minute powdery curative medicine that
15 have conventionally been used.

 FIG. 10 and FIG. 11 are views showing the inhaler aid with the reed for the minute powdery curative medicine of the present invention which is used by being attached to a Flutide Discus (registered trademark), a conventionally
20 used inhaler for the minute powdery curative medicine manufactured by GlaxoSmithKline Corporation.

 As shown in FIG. 10, in order to use the inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention by attaching it to a Flutide Discus
25 (registered trademark) 10 which is the conventionally used inhaler for the minute powdery curative medicine, the following attachment method is implemented wherein a

mouthpiece 11 of the Flutide Discus (registered trademark) 10 is inserted into and joined to the junction aperture 3k of the junction, which comprises the front joint piece 3c, the left end 3d, the right end 3e and the rear joint piece 3g, of the inhaler aid 1 with the reed for the minute powdery curative medicine.

The junction of the inhaler aid 1 with the reed for the minute powdery curative medicine has a horn shape, so that when it is joined to the mouthpiece 11, both sides of the mouthpiece 11 fit close to the curved shape, thereby enabling close contact attachment.

As shown in FIG. 11, the Flutide Discus (registered trademark) 10 to which the inhaler aid 1 with the reed for the minute powdery curative medicine is attached is used in the following method; the patient first holds the engagement portion 2 in the mouth 8, and bites and fixes the projections 2a and 2e of the engagement portion 2 with teeth, and then breathes in the air 9.

At this moment, the inhaler aid 1 with the reed for the minute powdery curative medicine is attached only for the purpose of aiding a portion of the mouthpiece 11 without interfering with the mechanism inherent to the Flutide Discus (registered trademark) 10, so that it is attached without blocking an air hole and the like necessary to inhale the curative medicine.

Therefore, if the patient holds the engagement portion 2 in the mouth 8 and breathes in the air 9, the air

9a is sucked from the air hole of the Flutide Discus (registered trademark) 10. The air 9a whirls up a curative medicine 10c from a medicine chamber mounted in a main unit 10b and is released together with the curative medicine 10c from the mouthpiece 11 into the inhalation path 5 of the inhaler aid 1 with the reed for the minute powdery curative medicine, and then inhaled into the oral cavity through the inhalation path 5.

At the same time, the patient breathes in the air 9 to cause the air 6 also to be sucked into the reed 4 inserted in the right side of the inhaler aid 1 with the reed for the minute powdery curative medicine, and thus the valve 4d is vibrated, and the air 6b is released into the inhalation path 5 of the inhaler aid 1 with the reed for the minute powdery curative medicine, whereby the reed 4 produces the beep 7. This allows the patient to know that the curative medicine 10c has been correctly inhaled.

FIG. 12 and FIG. 13 are views showing the inhaler aid with the reed for the minute powdery curative medicine of the present invention which is used by being attached to a Pulmicort Turbuhaler (registered trademark), a conventionally used inhaler for the minute powdery curative medicine manufactured by AstraZeneca Corporation.

The inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention is attached to a Pulmicort Turbuhaler (registered trademark) 12 which is the conventionally used inhaler for the minute

powdery curative medicine, in the following attachment method. As shown in FIG. 12, a mouthpiece 12a provided at an upper portion of the Pulmicort Turbuhaler (registered trademark) 12 is inserted into and joined to the junction aperture 3k of the inhaler aid 1 with the reed for the minute powdery curative medicine.

As shown in FIG. 12, air intake grooves 13c for taking in the air for the Pulmicort Turbuhaler (registered trademark) 12 are provided in a longitudinally long shape on an upper outer peripheral surface of a tube 13a of a main unit 13, and an air hole 13e is further provided in a fitting portion 13f attached to a lower portion of the tube 13a. Therefore, even when the inhaler aid 1 with the reed for the minute powdery curative medicine is attached to the mouthpiece 12a, the inhaler aid 1 with the reed for the minute powdery curative medicine does not block the mechanism for air intake or the like that the Pulmicort Turbuhaler (registered trademark) 12 has.

As shown in FIG. 13, since the inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention is made of flexible silicon rubber, the inner peripheral surface 3h of the inhaler aid 1 with the reed for the minute powdery curative medicine closely contacts and is firmly attached to a lower cylindrical portion of the mouthpiece 12a even when an upper tapered portion of the mouthpiece 12a is inserted into the inhalation path 5.

The Pulmicort Turbuhaler (registered trademark) to which the inhaler aid 1 with the reed for the minute powdery curative medicine is attached is used in the following manner. First, the patient holds the engagement
5 portion 2 in the mouth 8, and bites and fixes the projections 2a and 2e with teeth, and then breathes in the air 9.

Then, in the Pulmicort Turbuhaler (registered trademark) 12, the airs 9a, 9a are taken into the main unit
10 13 from the air intake grooves 13c and the air hole 13e that are formed in the main unit 13, and an air 9b taken in from the air hole 13e whirls up a curative medicine 12b in an inhalation medicine tube 13b, and then the curative
15 medicine 12b is released together with an air 9c from the mouthpiece 12a into the inhalation path 5, whereby the curative medicine 12b is inhaled together with the air into the oral cavity.

At the same time, the air 6 is sucked also into the reed 4 inserted in the right side of the inhaler aid 1 with
20 the reed for the minute powdery curative medicine, and the air which has vibrated the valve 4d is released from the reed 4 into the inhalation path 5, thereby producing the beep 7. This allows the patient to know that the curative
25 medicine 12b has been correctly inhaled into the oral cavity.

FIG. 14 and FIG. 15 are views showing the inhaler aid with the reed for the minute powdery curative medicine of

the present invention which is used by being attached to a Diskhaler (registered trademark) 14, a conventionally used inhaler for the minute powdery curative medicine manufactured by GlaxoSmithKline Corporation.

5 As shown in FIG. 14, the inhaler aid 1 with the reed for the minute powdery curative medicine of the present invention is attached to the Diskhaler (registered trademark) 14 in the following method. A mouthpiece 15 of the Diskhaler (registered trademark) 14 is inserted into
10 the junction aperture 3k of the inhaler aid 1 with the reed for the minute powdery curative medicine.

 As shown in FIG. 15, a diameter of the inner peripheral surface 3h inside the tube 3b of the inhaler aid 1 with the reed for the minute powdery curative medicine of
15 the present invention corresponds to a diameter of upper ends of left and right small holes 15a and 15b that are provided on left and right sides of the mouthpiece 15, so that a lower end of the inner peripheral surface 3h closely
20 contacts and is fixed to the upper ends of the left and right small holes 15a and 15b of the mouthpiece 15.
Therefore, the inhaler aid 1 with the reed for the minute powdery curative medicine can aid in the inhalation operation without completely covering the entire mouthpiece 15 and without interfering with the mechanism inherent to
25 the Diskhaler (registered trademark) 14.

 In other words, because the lower end of the inner peripheral surface 3h inside the tube 3b closely contacts

the upper ends of the left and right small holes 15a and 15b of the mouthpiece 15, peripheries of the left and right small holes 15a and 15b are covered with the junction inner peripheral portion 3j of the inhaler aid 1 with the reed for the minute powdery curative medicine. However, an inner periphery of the junction inner peripheral portion 3j becomes larger in a horn shape toward the junction aperture 3k, so that the left and right small holes 15a and 15b can take in the air without being blocked, and functions are not damaged in the left and right small holes 15a and 15b which are provided to correct a difference between a lung breathing capacity and an air flow volume in the minute powdery medicine inhalation path to prevent breathing difficulty.

The Diskhaler (registered trademark) 14 to which the inhaler aid 1 with the reed for the minute powdery curative medicine is attached is used in the following method. First, the engagement portion 2 of the inhaler aid 1 with the reed for the minute powdery curative medicine attached to the mouthpiece 15 is held in the mouth 8, and the left and right projections 2a and 2e are bitten and fixed with teeth, and then the air 9 is breathed in.

When the air 9 is sucked in, the air 9a is taken into a Rotadisk 16 from a surface hole 16a pierced by a needle 14c on a surface of the Rotadisk 16 that is attached to a main unit 14a of the Diskhaler (registered trademark) 14. Also, the air 9a is taken in from the left and right small

holes 15a and 15b formed in the mouthpiece 15.

The air 9a taken into the Rotadisk 16 from the surface hole 16a of the Rotadisk 16 whirls up a curative medicine 16b in the Rotadisk 16, and is released from the main unit 14a into the mouthpiece 15, and then the curative medicine 16b is inhaled, together with the air 9a taken into the mouthpiece 15 from the left and right small holes 15a and 15b, into the oral cavity through the inhalation path 5 of the inhaler aid 1 with the reed for the minute powdery curative medicine.

At this moment, the air 6 also is sucked from the reed 4 inserted into the tube 3b of the inhaler aid 1 with the reed for the minute powdery curative medicine, and vibrates the valve 4d, and then the air 6b is released into the inhalation path 5 through the flow chamber 4g, whereby the reed 4 produces the beep 7. Therefore, the beep 7 is produced only when the patient has correctly performed the inhalation operation, and the patient himself can ascertain that the inhalation operation has been correctly performed.

INDUSTRIAL APPLICABILITY

The inhaler aid with the reed for the minute powdery curative medicine of the present invention has the following effects.

Firstly, the inhaler aid with the reed for the minute powdery curative medicine of the present invention can be used by being attached to the conventionally used inhalers

for the minute powdery curative medicine with various configurations and shapes, and the sound is made from the reed, thereby allowing the patient himself, who inhales the curative medicine, to ascertain that the curative medicine
5 has sufficiently been inhaled.

Secondly, the inhaler aid with the reed for the minute powdery curative medicine of the present invention is not only held in the mouth, but also bitten and fixed with teeth for inhalation, so that patients including
10 elderly people and children who can not perform the inhalation operation can also sufficiently inhale the curative medicine by use of the present invention.

Thirdly, as the inhaler aid with the reed for the minute powdery curative medicine of the present invention
15 is made of silicon rubber, it can be washed as needed to keep clean, and once one masters the use of the inhaler aid for the minute powdery curative medicine, the engagement portion can be cur away, allowing the inhaler aid to be used for a long time.